

PIPE FITTINGS SERIES
PRODUCT SELECTION BOOK
管件系列产品选型册



PIPE FITTINGS SERIES PRODUCT SELECTION BOOK

管件系列产品选型册



地址: 浙江省温州市龙湾区永中街道罗东南街刘宅段81号
国内销售部: 136 1577 7797 / 189 0663 5118
国际销售部: 137 3675 5411 / 158 8879 9472
135 6627 9902 / 159 6778 6950
网址: www.zhejiangyuhao.com



企业官网

关于我们 ABOUT US



浙江钰豪不锈钢有限公司 成立于2018年，坐落在“中国钢铁城——温州龙湾”。是一家集生产、销售、服务于一体的专业生产企业。

公司拥有雄厚技术力量，建立了现代化的质量管理体系，拥有完整的检测设备和成套精加工设备，采用国际先进的生产技术，为国内外客户提供专业的各类法兰及法兰配套产品。

主要销售不锈钢法兰，不锈钢管件，不锈钢无缝管、阀门等不锈钢制品。公司按照标准严格生产，拥有大量的不锈钢管件及法兰库存。主要尺寸为DN15到 DN1200MM的产品。

公司坚持“致力于管道的质量安全与可靠”的经营理念，追求最好的质量，最快的交货期，最完善的售后服务。我们的产品远销欧洲中东地区东南亚，深受广大客户青睐 赢得了客户的信任与高度赞扬。

浙江钰豪不锈钢 可靠，值的信赖的厂家。

Zhejiang Yuhao Stainless Steel Co., Ltd., founded in 2018 and located in "China Steel City - Wenzhou Longwan", is a professional manufacturer integrating production, sales and service.

The company has strong technical strength, established a modern quality management system, equipped with complete testing equipment and complete sets of precision processing equipment, and adopts international advanced production technology to provide professional flange and flange matching products for domestic and foreign customers.

Our main products include stainless steel flanges, stainless steel pipe fittings, stainless steel seamless pipes, valves, and other stainless steel products. The company strictly produces according to standards and has a large inventory of stainless steel pipe fittings and flanges. Products with main dimensions ranging from DN15 to DN1200MM.

The company adheres to the business philosophy of "committed to the quality, safety, and reliability of pipelines", pursuing the best quality, the fastest delivery time, and the most comprehensive after-sales service. Our products are exported to Europe, the Middle East, and Southeast Asia, and are highly favored by our customers, winning their trust and praise.

Zhejiang Yuhao Stainless Steel is a reliable and trustworthy manufacturer.

管件

Pipe Fitting(4144)



45° 内牙弯头(4144)

45° Elbow-----01



90° 内牙弯头(4144)

90° Elbow-----01



90° 异径弯头(4144)

90° Reduced Elbow-----02



内牙弯头(4144)

Street Elbow-----02



三通(4144)

Tee-----03



外丝(4144)

Hexagon Nipple-----03



水管接头(4144)

Hose Nipple-----04



补芯(4144)

Hexagon Bushing-----04



六角螺母(4144)

Hexagon Nut-----05



六角塞头(4144)

Hexagon Plug-----05



四角塞头(4144)

4Square Plug-----05



四通(4144)

Cross-----06



异径有边接头(4144)

Reduced Socket Banded-----06



有边接头(4144)

Socket Banded-----07



圆管帽(4144)

Round Cap-----07



六角管帽(4144)

Hexagon Cap-----08



异径外丝(4144)

Reduced Hexagon Nipple-----08



变径三通(4144)

Reduced Tee-----09





球面内外牙由任(4144)



Union Cone/Conical/Ptfe Seat M/F-----09



球面内外牙由任(4144)

Union Cone/Conical/Ptfe Seat M/F-----10

	球面全外牙由任(4144) Union Cone/Conical/Ptfe Seat M/M -----10		90° 内牙弯头(SP114) 90° Elbow-----15
	铁氟龙对焊由任(4144) Union Conical BW-----11		圆管帽(SP114) Round Cap-----15
	90° 弯头锥面内牙由任(4144) Elbow Union Conical F/F-----11		补芯(SP114) Hexagon Bushing-----16
	90° 弯头锥面内外牙由任(4144) Elbow Union Conical M/F-----12		六角塞头(SP114) Hexagon Plug-----16
	内牙水管接头(4144) Hon/F-----12		异径有边接头(SP114) Reduced Socket Banded-----17
	内牙水管接头(4144) Hon/F-----13		内外牙弯头(SP114) Street Elbow-----18
	Y型三通 YTB-----13		四角塞头(SP114) Hexagon Plug-----18
管件 Pipe Fitting(4144)			三通(SP114) Tee-----19
	十字通(SP114) Cross-----14		内六角外丝(英制) Hexagon Socket Plug-----19
	45° 内牙弯头 (SP114) 45° Elbow-----14		双外丝 Barrel Nipple-----20

	对焊外丝(40S) Welding Nipple-----20		快速接头E (4144) Quick Coupling Type E-----25
	半截光面接头 Half Coupling O.D Machined-----21		快速接头F (4144) Quick Coupling Type F-----25
	光面接头 Coupling O.D Machined-----21		快速接头DC (4144) Quick Coupling Type DC-----26
	管子接头(SP114) Coupling Without O.D Machined -----22		快速接头DP (4144) Quick Coupling Type DP-----26
	管子接头(SP114) Half Coupling Without O.D Machined -----22		


快速接头

Quick Coupling

	快速接头A (4144) Quick Coupling Type A-----23
	快速接头B (4144) Quick Coupling Type B-----23
	快速接头C (4144) Quick Coupling Type C-----24
	快速接头D (4144) Quick Coupling Type D-----24

45° ELBOW/ 45° 内牙弯头(4144)


DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
L	16	17	19	21	25	29	33	37	42	49	54	64
A	14.5	18	21.5	26	31.5	39	48	55	67.5	84	98.5	124.5
t	2.3	2.55	2.55	1.8	1.8	2	2.4	2.5	2.8	3.3	3.8	4.3

90° ELBOW/ 90° 内牙弯头(4144)


DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
L	17	19	23	27	32	38	45	48	57	69	78	96
A	14.5	18	21.5	26	31.5	39	48	55	67.5	84	98.5	124.5
t				1.8	1.8	2	2.4	2.5	2.8	3.3	3.8	4.3

90° REDUCED ELBOW/ 90° 异径弯头(4144)


DIMENSIONS | 安装尺寸



规格 Size	1/4×1/8"	3/8×1/4"	1/2×1/4"		3/4×1/2"		1×1/2"		1 1/4×1"		1 1/2×1.25"		2×1.5"		2.5×2"		3×2.5"		4×3"	
	1/8"	1/4"	1/4"	3/8"	3/8"	1/2"	1/2"	3/4"	3/4"	1"	1"	1.25"	1.25"	1.5"	1.5"	2"	2"	2.5"	2.5"	3"
L1	18	20	24	26	28	29	32	34	38	40	41	45	48	52	55	60	62	72	78	83
L2	18	22	24	25	28	30	33	35	40	42	45	48	54	55	62	65	72	75	90	91
G	14	18	18	21.5	21.5	26	26	31.5	31.5	39	39	48	48	55	55	67.5	67.5	84	84	98.5
H	13	16.5	16.5	20	20	24.5	24.5	30	30	37.5	37.5	46.5	46.5	53	53	65.5	65.5	82	82	95.5
t	1.6	1.6	1.6	1.6	1.6	1.8	1.8	1.8	1.8	2	2	2.4	2.4	2.5	2.5	2.8	2.8	3.3	3.3	3.7
A	18	21.5		26		31.5		39		48		55		67.5		84		98.5		124.5
B	16.5	20		24.5		30		37.5		46.5		53		65.5		82		95.5		121.5
T	1.6	1.6		1.8		1.8		2		2.4		2.5		2.8		3.3		3.8		4.3

STREET ELBOW/ 内外牙弯头(4144)


DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
L1	17	19	23	27	32	38	45	48	57	69	78	97
L2	26	27	29	35	40	46	54	57	70	83	94	115
A	13	16.5	19.7	24.5	30	37.5	46.5	53	65.5	82	95.5	121.5
T	1.5	1.5	1.5	1.8	1.8	2	2.4	2.5	2.8	3.3	3.7	4.2
I	5.5	8	11.5	15	20.5	26	34.5	40	51	65.5	77.5	101.5

TEE/ 三通(4144)


DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
L	17	19	23	27	32	38	45	48	57	69	78	96
A	13	16.5	19.7	24.5	30	37.5	46.5	53	65.5	82	95.5	121.5
T	2.4	2.7	2.9	1.8	1.8	2	2.4	2.5	2.8	3.3	3.8	4.3

HEXAGON NIPPLE/ 外丝(4144)


DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
L	20	25	27	34	36.5	42	47.5	47.5	57	61	67.5	80
W	4	4	5	5	5.5	6	6.5	6.5	7	7	7.5	8
S	11	14.6	18.5	22.5	28	34	44	50	62	78	90.5	116.5

HOSE NIPPLE/ 水管接头(4144)


DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	1/4*1/2	3/8*1/2	1/2*3/4	1*3/4	1*1/4	1-1/4*1-1/2	1-1/2*2	2*2-1/2	2-1/2*3	3/8*10	1/2*14	2*51
L	41	42.5	49	57.5	66	76	79	83	92	99	107.5	53.5	54	65	68.5	76.5	83	87.5	97	104.5	104.5	57.5	92
A	8	9	11.5	15	20	27	33	39.5	52	67	80	15	15	20	20	33	39.5	52	67	80	80	14	51
B	24	28	33	38	45	52	52	56	60	65	70	38	38	45	45	52	56	60	65	70	70	38	60
S	12.8	15	18	22	28	35	44	50	61.5	78	90	18	18	22	35	35	44	55	70	85	85	22	61.5

HEXAGON BUSHING/ 补芯(4144)

DIMENSIONS | 安装尺寸



规格 Size	1/4	3/8	1/2	3/4	1	1-1/4	1-1/2	2	2-1/2	3	4
L	14.5	18.5	22.5	28	35	44	49.5	61.5	77.5	90.5	116.5
E	8	11.5	15	20.5	26	34.5	40	51	65.5	77.5	101.5
L	10.5	11	14.5	15.5	18	20.5	20.5	25	27	30	36
M	4	5	5	5.5	6	6.5	6.5	7	7	7.5	8

HEXAGON NUT/ 六角螺母(4144)


DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
H	6	6	6	7	7	9	11	11	13
S	15	18	24	30	34	42.5	52	58	72

HEXAGON PLUG/ 六角塞头(4144)


DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
A	5.5	8	11.5	15	20.5	26	34.5	40	51	65.5	77.5	101.5
S	12.5	15	18.5	22.5	28	35	44	50.5	62.5	78.5	92	118
M	4	4	5	5	5.5	6	6.5	6.5	7	7	7.5	8
L	8	10.5	11	14.5	15.5	18	20.5	20.5	25	27	30	36

SQUARE PLUG/ 四角塞头(4144)


DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
L	6	6	9	11.5	13	14.5	17	17	21.5	23.5	26.5	32.5
M	5	5	6	7	8	11	11	12	13	15	15	19
S1	7	7	10	11	15	18	20.5	22	28	32	36	42

CROSS/ 四通(4144)

DIMENSIONS | 安装尺寸



规格 Size	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
T	1.8	1.8	2	2.4	2.5	2.8	3.3	3.8	4.3
L	27	32	38	45	48	57	69	78	96

REDUCED SOCKET BANDED/ 异径有边接头(4144)


DIMENSIONS | 安装尺寸



规格 Size	1/4"	3/8"		1/2"		3/4"			1"		1 1/4"		1 1/2"			2"		2 1/2"		3"		4"	
	1/8"	1/8"	1/4"	1/4"	3/8"	1/4"	3/8"	1/2"	1/2"	3/4"	3/4"	1"	3/4"	1"	1 1/4"	1 1/4"	1 1/2"	1 1/2"	2"	2"	2 1/2"	2 1/2"	3"
G	14	14	17.5	17.5	21	17.5	21	25.5	25.5	31	31	39	31	39	48	48	54.5	54.5	67.5	67.5	84	84	97.5
A	18	21.5		26		31.5			39		48		55			67.5		83.5		97.5		124	
H	15	16		18		20			23		26		26			33		36		40		46	
L	25	26		34		36			42		48		52			58		65		72		94	

SOCKET BANDED/ 有边接头(4144)

DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
A	14.5	18	21.5	26	31.5	39	48	55	67.5	84	98.5	124.5
L	17	24	25	32	35	55	65	65	70	75	80	92
T	1.6	1.6	1.6	1.8	1.8	2	2.4	2.5	2.8	3.3	3.8	4.3

ROUND CAP/ 圆管帽(4144)

DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
A	14	18	21.5	26	31.5	39	48	55	67.5	84	98.5	124.5
T	1.6	1.6	1.6	1.8	1.8	2	2.4	2.5	2.8	3.3	3.8	4.3
L	10.5	14	14.5	18.5	19.5	22.5	25.5	25.5	30	35	38.5	45

HEXAGON CAP/ 六角管帽(4144)


DIMENSIONS | 安装尺寸



规格 Size	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
B	16.5	19.8	24.5	30	37	46.5	53	65	82	95.5	120
T	1.5	1.5	2.2	2.2	2.4	2.8	2.8	3.2	3.5	4	4
L	16	16.5	21	22.2	26	29	29	33.5	38.5	42	48

REDUCED HEXAGON NIPPLE/ 异径外丝(4144)


DIMENSIONS | 安装尺寸



规格 Size	1/4"	3/8"	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"	4"
L1	8	10.5	11	14.5	14.5	15.5	14.5	15.5	18	18	20.5
L2	10.5	11	14.5	14.5	15.5	15.5	15.5	18	18	20.5	20.5
M	4	5	5	5.5	5.5	6	6	6.5	6.5	7	7
E	14.5	18	22	28	35	43.5	49	61.5	77	90.5	116

REDUCED TEE/ 变径三通(4144)


DIMENSIONS | 安装尺寸



规格 Size	1/4*	3/8*	1/2*		3/4*		1*		1 1/4*		1 1/2*		2*		2 1/2*			3*		4*	
	1/8	1/4	1/4	3/8	3/8	1/2	1/2	3/4	3/4	1	1	1 1/4	1 1/4	1 1/2	3/4	1 1/2	2	2	2 1/2	2 1/2	3
L1	18	20	24	26	28	29	32	34	38	40	41	45	48	52	45	55	60	62	72	78	83
L2	18	22	24	25	28	30	33	35	40	42	45	48	54	55	59	62	65	72	75	90	91
G	14	18	18	21.5	21.5	26	26	31.5	31.5	39	39	48	48	55	31.5	55	67.5	67.5	84	84	98.5
t	1.6	1.6	1.6	1.6	1.6	1.8	1.8	1.8	1.8	2	2	2.4	2.4	2.5	1.8	2.5	2.8	2.8	3.3	3.3	3.7
A	18	21.5	26		31.5		39		48		55		67.5		83.8			98.5		124.5	
T	1.6	1.6	1.8		1.8		2		2.4		2.5		2.8		3.3			3.8		4.3	

UNION CONE/CONICAL/PTFE SEAT M/F/ 球面内外牙由任(4144)


DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
A	13	16.5	20	24.5	30	37	46.5	53	65	82	95.5	121.5
B	26	29	34	37	44	52.5	63	70	84	101.5	118	148.5
L1	30	33.5	36.5	39.5	42.5	50	54	58	65	75	83	110
L2	8	10.5	11	14.5	15.5	18	20.5	20.5	25	27	30	36
M	13	13.5	15	16	17	20	22	24	27	29.5	31	34

UNION CONE/CONICAL/PTFE SEAT F/F/ 锥面全内牙由任(4144)


DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
A	13	16.5	20	24.5	30	37	46.5	53	65	82	95.5	121.5
B	26	29	34	37	44	52.5	63	70	84	101.5	118	148.5
L1	30	33.5	36.5	39.5	42.5	50	54	58	65	75	83	110
M	13	13.5	15	16	17	20	24	24	27	29.5	31	34

UNION CONE/CONICAL/PTFE SEAT M/M/ 球面全外牙由任(4144)


DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
A	13	16.5	20	24.5	30	37	46.5	53	65	82	95.5	121.5
B	26	29	34	37	44	52.5	63	70	84	101.5	118	148.5
L1	30	33.5	36.5	39.5	42.5	50	54	58	65	75	83	110
L2	8	10.5	11	14.5	15.5	18	20.5	20.5	25	27	30	36
M	13	13.5	15	16	17	20	22	24	27	29.5	31	34

UNION CONICAL BW/铁氟龙对焊由任(4144)

DIMENSIONS | 安装尺寸



规格 Size	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
L	33.5	36.5	39.5	42.5	50	54	58	65	75	83	110
M	13.5	15	16	17	20	22	24	27	29.5	31	34
A	29	34	37	44	52.5	63	70	84	101.5	118	148.5
D1	13.7	17.2	21.3	26.7	33.4	42.2	48.3	60.3	76.1	88.9	114.3
D2	9.2	12.5	15.8	20.9	26.6	35	40.9	52.5	65.8	77.9	102.3

ELBOW UNION CONICAL F/F/ 90° 弯头锥面内牙由任(4144)


DIMENSIONS | 安装尺寸



规格 Size	1/4"	3/8"	1/2"	3/4"	1"
A	16.5	20	24.5	30	37
B	29	34	37	44	52.5
L1	19	23	27	32	38
L2	39.5	44.2	49	57.5	67
M	13.5	15	16	17	20

ELBOW UNION CONICAL M/F/ 90° 弯头锥面内外牙由任(4144)

DIMENSIONS | 安装尺寸



规格 Size	1/4"	3/8"	1/2"	3/4"	1"
A	16.5	20	24.5	30	37
B	29	34	37	44	52.5
L1	19	23	27	32	38
L2	50	55.2	63.5	73	85
M	13.5	15	16	17	20

HON/F/ 内牙水管接头(4144)


DIMENSIONS | 安装尺寸



规格 Size	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
L	41	50	59	63	78	85	93	105	115	130
D	95.3	12.7	19.1	25.4	31.8	38.1	50.8	63.5	76.2	101.6

NHB/内外牙接头(4144)


DIMENSIONS | 安装尺寸



规格 Size	1/4*1/8	3/8*1/4	1/2*1/4	1/2*3/8	1/2*1/2	3/4*3/8	3/4*1/2	1*3/4	1 1/4*3/4	1 1/4*1	1 1/2*1	1 1/2*1 1/4	2*1	2*1 1/4	2*1 1/2
φ2	10.9	14.5	17.3	17.3	18	22.7	22.7	28.3	38.4	38.4	42.6	42.6	55.3	54.5	54.5
L1	12.5	13.8	18.5	18.5	16	21	21	23	22.6	22.3	28	27.2	30.7	30.7	30.7
L2	10.8	12.3	16.4	16.6	14	17.5	17.5	20.9	19.7	19.7	22.6	24.6	28	27.8	27
L	23.2	24.5	30.2	30.5	29.6	34.3	37.7	39.6	38.1	40.6	49	48.5	49.5	52	52.4
φ5	5.5	8.5	8.2	11.8	16.1	10.7	15.2	20	20.3	26.8	26	35.2	26	35.5	40.8
H	16.3	19.6	24	24	24.3	30.2	30.2	36.9	45.5	45.5	54.3	52.1	62.8	63.2	63.2

YTB/Y型三通


DIMENSIONS | 安装尺寸



规格 Size	3/8"	1/2"	3/4"	1"	1-1/4"	2"
A	20.3	27	32.3	40.4	47.5	68.1
L	18	21	20	29	27	38
L1	22.8	28	30.8	38.8	41	57

CROSS/ 十字通(SP114)

DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
φ1	16	20	25	30	35.5	45.5	53	60.5	74	90	106	133.5
φ2	14	18	22.5	27.5	33.5	42.5	51	58	70	87	102	128.5
F	2.7	3.3	3.3	3	3	3.3	3.3	3.3	3.3	4	4	4
A	17.5	19.5	24	29.5	32	36.5	44	48.5	57	68.5	78.5	97

45° ELBOW/ 45° 内牙弯头(SP114)

DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
A	16	19	22.5	30	35.5	44	52	59	71.5	90	106	134
B	14	17	20	27.5	33	41	49	57	68.5	86.5	102	129
F	2.5	2.5	2.5	2.7	2.7	2.5	2.5	2.5	2.5	4	4	4
L	18.5	19	19	22	23	28	32	35	42	47	52	66

90° ELBOW/ 90° 内牙弯头(SP114)

DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
φ1	16	19	22.5	28.5	35.5	43	52	59	71.5	90	106	133.5
F	2.7	2.5	2.5	2.3	2.5	2.5	2.5	2.5	2.5	3.8	4	4
A	18	19.5	24	29.5	32	36.5	44	48.5	57	68.5	78.5	97

CAP/ 圆管帽(SP114)

DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
A	15.5	22	24.5	28	28	32.5	33	36	38	43.5	48.5	51.5
B	11.5	19	22	25	25	29	29	31.5	33.5	38.5	42	45.5
φ1	16	20	25.5	30	36.5	45	53.5	60	74	90	110.5	139

HEXAGON BUSHING/ 补芯(SP114)


DIMENSIONS | 安装尺寸



规格 Size	1/4*1/8	3/8*1/8	3/8*1/4	1/2*1/8	1/2*1/4	1/2*3/8	3/4*1/8	3/4*1/4	3/4*3/8	3/4*1/2	1*1/8	1*1/4	1*3/8	1*1/2	1*3/4
A	22.5	23		25.5					26					33	
B	17	17.5		20					20					25.5	
C	8.5	8.5	10	8.5	9	10	8.5	9	10	13	9	9	10	11	11
SW	17.5	25.5		25.5					31.5					38.5	
规格 Size	1 1/4*1/8	1 1/4*1/4	1 1/4*3/8	1 1/4*1/2	1 1/4*3/4	1 1/4*1	1 1/2*1/8	1 1/2*1/4	1 1/2*3/8	1 1/2*1/2	1 1/2*3/4	1 1/2*1	1 1/2*1 1/4	1 1/2*1 1/2	1 1/2*1 3/4
A				33.5						35.5					
B				25.5						25.6					
C	8.5	10	10.5	11	11	15	8	10	10	11	11	14.6	16		
SW				46						52					
规格 Size	2*1/8	2*1/4	2*3/8	2*1/2	2*3/4	2*1	2*1 1/4	2*1 1/2	2 1/2*1/2	2 1/2*3/4	2 1/2*1	2 1/2*1 1/4	2 1/2*1 1/2	2 1/2*1 3/4	2 1/2*2
A				36								49			
B				25								37			
C	8	10	10	11	11	14	16	16	11.5	12	14	17	17	18	
SW				63								80.5			
规格 Size	3*1/2	3*3/4	3*1	3*1 1/4	3*1 1/2	3*2	3*2 1/2	4*1	4*1 1/4	4*1 1/2	4*2	4*2 1/2	4*3		
A	49			50							51				
B				37							37				
C	11.5	12	14	17	17	18.5	22	16.5	17	17	18	22	25		
SW				95.5							121				

NEXAGON PLUG/ 六角塞头(SP114)


DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
A	18	23	24	27	28	34	35.5	36.5	37	48.5	50.5	51.5
B	12	16.5	17.5	19.5	20.5	25.5	25.5	25.5	25.5	36.5	37.5	37
SW	14	17	21	26	32	38	46	52	65	80.5	95.5	121

REDUCED SOCKET BANDED/ 异径有边接头(SP114)


DIMENSIONS | 安装尺寸



规格 Size	1/4*1/8	3/8*1/8	3/8*1/4	1/2*1/8	1/2*1/4	1/2*3/8	3/4*1/8	3/4*1/4	3/4*3/8	3/4*1/2	1*1/8	1*1/4	1*3/8	1*1/2	1*3/4								
A	28.5	41		45			45				50.5												
t	3	4		3	2.8	2.9	3				3	3	3	3.2	3.3								
φ1	20	25		30			35				45												
φ2	15.5	15.5	20	15.5	20	25.5	15.5	20	25.5	30	15.5	20	25.5	30	35.5								
规格 Size	11/4*1/8	11/4*1/4		11/4*3/8		11/4*1/2		11/4*3/4		11/4*1		11/2*1/4		11/2*3/8		11/2*1/2		11/2*3/4		11/2*1		11/2*11/4	
A	50.5										58												
t	3.8										4	4	4	4.4		3.5	3.5						
φ1	53										60												
φ2	20		25	30	36	45	20	25	30	36	45	53											
规格 Size	2*1/8	2*1/4	2*3/8	2*1/2	2*3/4	2*1	2*11/4	2*11/2	21/2*1/2	21/2*3/4	21/2*1	21/2*11/4	21/2*11/2	21/2*2									
A	67										75												
t	4.7	4.9	4.7	4.8	4.6	4.8	4	5															
φ1	72.5										89.5												
φ2	20	25	30	36	44.5	53	60	45	53	60	72.5	90.5											
规格 Size	3*3/4		3*1	3*11/4		3*11/2		3*2	3*21/2		4*1	4*11/4	4*11/2	4*2	4*21/2	4*3							
A	60					73.5	90.5	98															
t	5.5					6																	
φ1	108.5										137.5												
φ2	45	53	60	73.5	90.5	45	61	73.5	90.5	109.5													

STREET ELBOW/ 内外牙弯头(SP114)


DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
φ1	14.5	18	22	28.5	35.5	44	53	60	72.5	89.3	106	132.5
A	17.5	21	23	28	33	38	44.8	47	61	66.5	79	98
B	25.5	30	38.5	42.7	46.5	53	61.5	69	85	105	112.5	128
F	2	2.3	2.7	2	2.3	2.7	2.5	2.5	3	3.2	3.2	4

NEXAGON PLUG/ 四角塞头(SP114)


DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
A	18	19.5	20	23.5	30	33	39	40	45	48	54.5	60
B	11	11.5	14	13	18	20	22.5	23	26.5	28.6	32	37.5
I	7	9	9.6	13	18.3	19	23	26.5	29.5	40	44.5	59.5

TEE/ 三通(SP114)


DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
Ø1	16.5	19	22.5	28.5	35.5	43	52	59	71.5	90	106	133.5
F	2.5	2.5	2.5	2.2	2.5	2.5	2.8	2.8	2.8	4	4	4
A	18	19.5	24	29.5	32.5	36.5	44	48.5	57	68.5	78.5	97

HEXAGON SOCKET PLU/ 内六角外丝(英制)

DIMENSIONS | 安装尺寸



规格 Size	1/16"	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
A	8	8	11.2	12.7	14.3	15.9	19.1	20.7	21.9	23.8
B	3.4	4	6.4	6.5	7.5	8.5	10.5	11	12.5	12.5
C	4.07	4.86	6.45	8.04	9.62	14.4	15.98	19.15	25.5	25.5

BARREL NIPPLE/ 双外丝

DIMENSIONS | 安装尺寸



STANDARD 标准 : 40S

规格 Size	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	2-1/2"	3"	4"
A	11	12	15	17	19	22	22	26	32		34	40
L	40	40	60	60	60	80	80	100	100		120	120
E	+0.2 2 -0	+0.2 2.1 -0	+0.2 2.5 -0	+0.2 2.5 -0	+0.2 3 -0	+0.2 3.2 -0	+0.3 3.3 -0	+0.3 3.5 -0	+0.5 4.6 -0		+0.5 5 -0	+0.5 5.5 -0
D	13.72±0.2	17.15±0.2	21.34±0.2	26.67±0.2	33.4±0.2	42.16±0.2	48.26±0.2	+0.2 60.33-0.4	+0.2 76.3-0.4	+0.2 73.03-0.4	+0.2 88.9-0.4	+0.2 114.3-0.4

STANDARD 标准 : 80S

规格 Size	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	2-1/2"	3"	4"
A	11	12	15	17	19	22	22	26	32		34	40
L	40	40	60	60	60	80	80	100	100		120	120
E	+0.3 2.7 -0	+0.3 2.9 -0	+0.3 3.3 -0	+0.3 3.5 -0	+0.3 4.1 -0	+0.3 4.3 -0	+0.3 4.5 -0	+0.3 5 -0	+0.5 6.3 -0		+0.5 6.8 -0	+0.5 7.6 -0
D	+0.2 13.72 -0	+0.2 17.15 -0	+0.2 21.34 -0	+0.2 26.67 -0	+0.2 33.4 -0	+0.2 42.16 -0	+0.2 48.26 -0	+0.2 60.33 -0	+0.2 76.3 -0	+0.2 73.03 -0	+0.2 88.9 -0	+0.2 114.3 -0

WELDING NIPPLE/ 对焊外丝(40S)

DIMENSIONS | 安装尺寸



规格 Size	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	2-1/2"	3"	4"
A	11	12	15	17	19	22	22	26	32		34	40
L	30	30	35	40	40	50	50	50	60		70	80
E	+0.2 2 -0	+0.2 2.1 -0	+0.2 2.5 -0	+0.2 2.5 -0	+0.2 3 -0	+0.2 3.2 -0	+0.3 3.3 -0	+0.3 3.5 -0	+0.5 4.6 -0		+0.5 5 -0	+0.5 5.5 -0
D	13.72±0.2	17.15±0.2	21.34±0.2	26.67±0.2	33.4±0.2	42.16±0.2	48.26±0.2	+0.2 60.33-0.4	+0.2 76.3-0.4	+0.2 73.03-0.4	+0.2 88.9-0.4	+0.2 114.3-0.4

HALF COUPLING O.D MACHINED/ 半截光面接头

DIMENSIONS | 安装尺寸



STANDARD 标准 : 4144

规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
L	7.5	11	11.5	15	16.5	19.5	21.5	21.5	26	30.5	33.5	39.5
B	13	16.5	20	24.5	30	37	46.5	53	65	81.5	95	121.5

STANDARD 标准 : DIN2986

规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
L	7.5	11	11.5	15	16.5	19.5	21.5	21.5	26	30.5	33.5	39.5
B	13	16.5	20	24.5	30	37	46.5	53	65	81.5	95	121.5

COUPLING O.D MACHINED/ 光面接头

DIMENSIONS | 安装尺寸



STANDARD 标准 : 4144


规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
L	17	24	25	32	35	41	45	45	54	63	69	81
B	13	16.5	20	24.5	30	37	46.5	53	65	81.5	95	121.5

STANDARD 标准 : DIN2986

规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
L	17	25	26	34	36	43	48	48	56	65	71	83
B	15	18.5	21.3	26.6	31.8	39.5	48.3	54.5	66.2	82	95	121.4

COUPLING WITHOUT O.D MACHINED/ 管子接头 (SP114)

DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
L	20	27	28	35.5	37.5	42	48	48	56	65	71	83
B	14	18.5	21.5	26.6	31.8	39.5	48.5	55	66.6	84.5	100.5	129.5
L1	8	10	11	14.5	15	17	21	21	24	30	31	36

HALF COUPLING WITHOUT O.D MACHINE/ 管子接头 (SP114)


DIMENSIONS | 安装尺寸



规格 Size	1/8"	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
L	11	13	14	18	19.5	21	24	24	28	33	36	42
A	11.5	15.5	19	23	28	35.5	44	50.5	61	76	91.5	120
B	14	18.5	21.5	26.6	31.8	39.5	48.5	55	66.6	84.5	100.5	129.5

QUICK COUPLING TYPE A/ 快速接头A (4144)

DIMENSIONS | 安装尺寸



规格 Size	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
B	22	22	26	30.5	39	47	60.5	76	103.5
L	36.5	36.5	42	51	53.5	58.5	73	68.5	69
D	31	32	38	47	54	65	79.5	94	122.5

QUICK COUPLING TYPE B/ 快速接头B (4144)


DIMENSIONS | 安装尺寸



规格 Size	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
B	51	51	59	71	78.5	89	103	124	149
C	40.5	41	46.5	56	63.5	74.5	88	104.5	134
D	30	30	37	44.5	44.5	51.5	53.5	57	57.5
E	14.5	20	25	31	39.5	51	65	78	102
L	45.5	45.5	56.5	66.5	67.5	75.5	84	90	96

QUICK COUPLING TYPE C/ 快速接头C (4144)

DIMENSIONS | 安装尺寸



规格 Size	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
B	51	51	59	71	79	89	102	123	150.5
C	41	40	47	56	64	73.5	88	105	134
D	19.5	19.5	26	33	39	53	65	79	106
E	14.5	14.5	20	27	32.5	44	58	69.5	96
L	88.5	88.5	100.5	113.5	115	129	149	158	168.5

QUICK COUPLING TYPE D/ 快速接头D (4144)


DIMENSIONS | 安装尺寸



规格 Size	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
B	51	51	59	71	79	89	103.5	122	151
C	41	40	47	56	64	73.5	88	105	134
D	30	30	37.5	44.5	45	51.5	54	56	57
E	16.5	20	26.5	36	40	51	59	73	101.5
L	43	44	54.5	64.5	64	75	81	85.5	89.5

QUICK COUPLING TYPE E/ 快速接头E (4144)


DIMENSIONS | 安装尺寸



规格 Size	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
B	32.5	32.5	37	46	54	64	77	92.5	121.5
C	19.8	19.8	26	33	35	52	66	77.5	105.5
D	14	14	20	27	32	44.5	57	69	96
E	53.5	53.5	63	68	69.5	80.5	89.5	100.5	109.5
L	93	93	103	115	118	133.5	145.5	161.5	171

QUICK COUPLING TYPE F/ 快速接头F (4144)


DIMENSIONS | 安装尺寸



规格 Size	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"
A	22	22	25.5	31	38	49	60	76.5	104.5
C	36	36	41.5	50.5	52.5	58	59	69	67.5
D	32	32	36.5	46	54	64.5	77.5	92.5	121
L	50.5	52	59.5	72	74	83	89	99.5	105

QUICK COUPLING TYPE DC/ 快速接头DC (4144)


DIMENSIONS | 安装尺寸



规格 Size	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
B	51	51	59.3	70	78	89	101.5	122.5	150	182	215
D	10.5	10.5	10.8	12	12.8	12	14.5	16	16	16	16
L	32	32	40	45	46	53	56	61	59	64	73

QUICK COUPLING TYPE DP/ 快速接头DP (4144)

DIMENSIONS | 安装尺寸



规格 Size	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
B	10.5	10.5	10.5	11.5	11.3	13.5	14.5	13.5	14.5	16	16
L	25.5	25.5	31	39	42	46	48	50	53	53	65